

FLOOR PLAN KEY NOTES

- 1. EXISTING GLAZED BLOCK TO BE PATCHED IN ALL LOCATIONS WHERE PREVIOUSLY DAMAGE OR PENETRATED.
- 2. NEW 46" TELEVISION MINIMUM 6'-8" AFF. MAKE AND MODEL SUPPLIED BY STARK STATE.
- 3. EXISTING WALL TILE TO BE REMOVED. REMOVE TILE WITH CARE. TILES REMOVED WILL BE USED TO PATCH ALL DAMAGED TILES IN STUDENT LOUNGE.
- 4. NEW INTERIOR WALL PARTITION. REFER TO WALL DETAILS.
- 5. NEW 19" FULL SIZED DATA RACKS MODEL NWA L650. REFER TO ELECTRICAL DRAWINGS
- 6. EXISTING CRAWL SPACE ACCESS PANEL.
- 7. 36" X 48" SPACE DESIGNATED FOR PRINTER TABLE PER STARK STATE.
- 8. NEW ARCHITECTURAL CABINET.
- 9. EXISTING OPENING TO BE INFILLED WITH BLOCK/BRICK AND MATCH EXISTING. INSULATE AS POSSIBLE.
- 10. EXISTING LOUVER TO BE REMOVED, CLEANED AND REFINISHED, AND REINSTALLED.
- 11. NEW 5' X 5' WELDING STATIONS. REFER TO ELECTRICAL AND MECHANICAL DRAWINGS.
- 12. EXISTING CONCRETE FLOOR TO BE CLEANED AND RESEALED.
- 13. NEW EYE WASH STATION. REFER TO PLUMBING DRAWINGS.
- 14. NEW EPSON PROJECTOR MODEL 1915 PER STARK STATE. REFER TO ELECTRICAL DRAWINGS.
- 15. EXISTING FLOOR TILE TO BE CLEANED AND REFINISHED.
- 16. EXISTING WALL TILE TO BE CLEANED AND REFINISHED. ANY WALL TILE THAT HAS BEEN DAMAGED OR PENETRATED WILL BE REMOVED AND REPLACED.
- 17. NEW 20" X 4' LONG SEAMLESS BULLETIN BOARDS 36" AFF.
- 18. NEW STEEL COLUMN. REFER TO STRUCTURAL DRAWINGS.
- 19. NEW 12" X 18" LOCKERS.
- 20. NEW 4" WIDE PAINTED STRIPS AROUND WELDING AREA.
- 21. ALL EXISTING WALLS ARE TO BE CLEANED AND PAINTED.
- 22. NEW SEMI CIRCULAR WASH STATION. REFER TO MECHANICAL AND PLUMBING DRAWINGS
- 23. NEW LAVATORY. REFER TO PLUMBING DRAWINGS.
- 24. NEW METAL PANEL WALL SYSTEM.
- 25. NEW WINDOW. REFER TO WINDOW SCHEDULE.
- 26. NEW ALUMINUM STORE FRONT SYSTEM. REFER TO WINDOW & DOOR SCHEDULE.
- 27. NEW ELECTRICAL BOX. REFER TO ELECTRICAL DRAWINGS.
- 28. NEW CARD ENTRY READER.
- 29. NEW SLIDING WINDOW. REFER TO WINDOW SCHEDULE.
- 30. NEW SOFFIT. REFER TO MECHANICAL DRAWINGS
- 31. EXISTING DOWNSLOUT TO REMAIN
- 32. EXISTING OVERHEAD DOOR TO REMAIN
- 33. NEW VENDING MACHINES
- 34. NEW MECHANICAL LOUVER. REFER TO MECHANICAL DRAWINGS
- 35. CMU INFILL.
- 36. NEW 16' X 4' LONG SEAMLESS BULLETIN BOARDS 36" AFF.
- 37. REWORK PARTITION FOR ADA ACCESS AND MINIMUM DIMENSIONS.

GENERAL NOTES

- 1. ALL INTERIOR WALLS SHALL BE WALL TYPE W03 UNLESS NOTED OTHERWISE. REFER TO A-100A FOR WALL TYPES AND TYPICAL WALL INFORMATION.
- 2. REFER TO STRUCTURAL, MECHANICAL, PLUMBING, FIRE PROTECTION AND ELECTRICAL DRAWINGS FOR ADDITIONAL WORK. COORDINATE BETWEEN TRADES.
- 3. TYPICAL MOUNTING HEIGHT & LOCATIONS OF FIXTURES, ACCESSORIES AND SELECT EQUIPMENT ARE SHOWN ON SHEET A-700. REFER TO A-700 SERIES FOR ADDITIONAL REQUIREMENTS AND LOCATIONS OF ACCESSORIES AND EQUIPMENT NOT SHOWN ON FLOOR PLANS.
- 4. PATCH AND LEVEL FLOORS AT DEMOLISHED WALLS
- 5. PATCH EXISTING WALLS WHICH ARE NOT AFFECTED BY THE NEW WORK BUT REQUIRE SURFACE REPAIR DUE TO WATER DAMAGE, MISUSE OR ACCIDENTAL DAMAGE, AND DEMOLITION OR REMOVAL OF PIPES, DUCTS, CONDUIT, WALL MOUNTED EQUIPMENT OR ACCESSORIES, AND OTHER PENETRATING OR SURFACE MOUNTED ITEMS. REMOVE OR REPAIR AREAS WHERE SURFACES ARE LOOSE, SPALLING OR DISPLACED. PATCH AND FILL ALL CRACKS AND OPENINGS. PREPARE SURFACE FOR FINAL PAINTING. ALL EXISTING WALL SURFACES TO RECEIVE NEW FINISHES AND SHALL BE PATCHED AND PREPARED AND CLEANED IN THIS FASHION. MATCH ADJACENT SURFACES AND MATERIALS.
- 7. MAINTAIN REQUIRED FIRE RATINGS OF EXISTING WALLS FOR NEW WORK PENETRATIONS OR PATCHING OF WALLS DUE TO DEMOLITION ACTIVITIES.
- 8. PATCH AND REPAIR FLOOR SURFACE TO ACCOMMODATE NEW FLOOR FINISH WHERE NEW FLOOR FINISH IS INDICATED.
- 9. PATCH AND REPAIR WALL SURFACE WHERE EXISTING CEILING HAS BEEN REMOVED, IF NEW CEILING HEIGHT IS HIGHER THAN THE ORIGINAL CEILING.
- 10. WHERE ITEMS SUCH AS LIGHT SWITCHES, RECEPTACLES, ETC. ARE SCHEDULED TO BE REMOVED FROM EXISTING GLAZED BLOCK WALLS, COVER REMAINING OPENING WITH FLUSH STAINLESS STEEL COVER PLATE.
- 11. PROVIDE TRANSITION STRIPS BETWEEN DISSIMILAR FLOOR MATERIALS.
- 12. NOT ALL LOUVERS ARE LOCATED IN PLAN. REFER TO EXTERIOR ELEVATIONS & MECHANICAL PLANS. REFER TO PLAN FOR LOCATIONS OF SOUND ATTENUATION INSULATION.
- 13. REFER TO FINISH PLANS FOR ADDITIONAL INFORMATION RELATED TO CASEWORK & FINISHES.
- 14. ALL NEW GYP BOARD TO BE LEVEL 5 FINISH.
- 15. ALL FEC (FIRE EXTINGUISHER CABINETS), ZVP (ZONE VALVE BOXES), ELECTRICAL PANELS AND OTHER MISCELLANEOUS PANELS, RECESSED IN A RATED PARTITION SHALL COMPLY WITH DETAILS FOR CONTINUATION OF PARTITION INTEGRITY.

